

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/531652	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L2	42	topic near10 (division divid\$3 separat\$3) near10 (portion piece part block) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L3	10	(sub adj topic) near10 (portion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L4	7	(topic) near10 (portion) near10 (sequential sequenc \$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L5	39	(divid\$3 division) same (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L6	10	link\$3 near5 (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L7	4	("5832472" "6442274" "6539387" "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L8	11	("6633316" "6539387" "6442574" "6243071" "6154750" "5991751" "5832472" "5721910" "5708806" "20020198885" "20020032672").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L9	2	L8 and ((sub near topic\$3) subtopic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L10	3	topic near10 (divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L11	3	(divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L12	50	(divid\$3 division break\$3 broke\$2) same ((sub near topic\$3) subtopic) same (link \$3 relat\$3 relationship connect\$3) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L13	13	(divid\$3 division break\$3 broke\$2) with ((sub near topic\$3) subtopic) with (link \$3 relat\$3 relationship connect\$3) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L14	6599	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3) article categor\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017") not L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L15	11	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3 article categor\$3)) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L16	2	(hyper adj link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L17	4	(hyperlink\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L18	48	(hierarch\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L19	7	(hypertext near link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L20	7	(hypertext near link\$3) with ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L21	10	(hypertext near link\$3) same ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L22	34	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L23	17	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L24	16	(hyperlink\$3 (hyper near link \$3)) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L25	16	hyperlink\$3 near10 explanatory near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L26	75	(hyperlink\$3 (hyper adj link \$3)) with (explanat\$3 explain \$3 descriptive) with (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L27	184	(hyperlink\$3 (hyper adj link \$3)) same (explanat\$3 explain\$3) same (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L28	37	(hyperlink\$3 (hyper adj link \$3)) near10 (explanat\$3 explain\$3) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L29	29	(hyperlink\$3 (hyper adj link \$3)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L30	2	(explanatory adj (note text window)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L31	5	(explanatory) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L32	55	(explanat\$3 explain\$3) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L33	681	(display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L34	123	(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 topic and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L35	731	(record\$3) near5 sequence near5 access and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L36	8	(record\$3) near5 sequence near5 access near5 select\$3 and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L37	30	(record\$3) near5 sequence near5 access near5 user and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L38	4	(record\$3) near5 sequence near5 access near5 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L39	21	(record\$3) with (sequence near5 access) with order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L40	620	(sequence near5 access) near10 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L41	9	(record\$3) near5 sequence near5 access near5 (display \$3 show\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L42	100	(display\$3) near10 (access\$3 adj order) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L43	712	hyperlink\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L44	21	hyperlink\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L45	133	display\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L46	0	display\$3 near5 (title metadata (meta adj (data information))) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L47	34	display\$3 near5 (information) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L48	22	(record\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L49	24	(sav\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L50	2	("5991751" "5721910").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L51	1	link\$3 near5 (database (data adj base)) near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L52	1	(database (data adj base)) same link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L53	3	(database (data adj base)) and link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L54	36	(database (data adj base)) near10 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L55	4	("5832472" "6442274" "6539387" "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L56	143	(record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L57	0	L56 and (hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L58	349	(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L59	942	(record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L60	2	L58 and L59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L61	17517	address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L62	61	L58 and L61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L63	57	(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) same (database (data adj base)) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L64	3	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) same (navigat\$3) near5 backward and (@ad< "20011017" @pd< "20011017" @rlad< "20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L65	78	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (navigat \$3) near5 backward and (@ad< "20011017" @pd< "20011017" @rlad< "20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L66	417005	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L67	47	L65 and L66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L68	1928	(hyperlink\$3 (hyper adj link \$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L69	5	L65 and L68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L70	92	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L71	5	L68 and L70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L72	2920	(hyperlink\$3 (hyper adj link \$3)) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L73	5	L70 and L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L74	3	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31
L75	50	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and (hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 14:31

L76	3	jorge near2 diniz near2 queiroga near2 loureiro.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 15:20
L77	2	(jump\$3 navigat\$3 go\$3) near5 non adj sequential near5 (portion part) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 15:38

5/12/2010 4:07:47 PM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces
 \son_10_531_652_case.wsp